

SWIING

4004 - LAMP H 20 CM

DESIGN BY TRISTAN LOHNER

NEW


DOMESTIC

PROFESSIONAL

INTENSIVE

2
IREP

IRCY



Polycarbonate diffuser

Aluminium frame

Recycled ABS base

Technology: integrated LED - Luminous flux: 35 lm

Switch type: tilt-activated (inclination > 75°: ON/OFF)

Function of the switch: change the light temperature (clic 1s)

Lighting mood:

Position 1 warm white (2700°K) 100% brightness

Position 2 warm white (2200°K) 100% brightness

Type of power supply: battery - Min. Battery life (100%): 10 h


Battery use cycle: 300 cycles

Recharge time: 3h - Type of recharge: USB Fermob magnet – 1.5 m cable (provided)

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP54 | IK 6 | CE | FCC | UKCA

Powered by Smart & Green



0,42 kg



400447 Anthracite
4004A5 Clay Grey
4004D2 Gingerbread

4004A7 Ice Mint
4004B9 Black Cherry



SWIING & BISTRO



SWIING & ITAC



SWIING

ILLUMINATION
IN & OUT



SWIING

SWIING

CONTRACT EXCLUSIVITY

4005 - SET OF 6 LAMPS H 20 CM


DESIGN BY TRISTAN LOHNER

NEW

DOMESTIC PROFESSIONAL INTENSIVE

2
IREP

IRCY



Polycarbonate diffuser

Aluminium frame

Recycled ABS base

Technology: integrated LED - Luminous flux: 35 lm

Switch type: tilt-activated (inclination > 75°: ON/OFF)

Function of the switch: change the light temperature (clac 1s)

Lighting mood:

Position 1 warm white (2700°K) 100% brightness

Position 2 warm white (2200°K) 100% brightness

Type of power supply: battery - Min. Battery life (100%): 10 h

Battery use cycle: 300 cycles

Recharge time: 3h - Type of recharge: Fermob magnet USB charging tray (not supplied)

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP54 | IK 6 | CE | FCC | UKCA

Powered by Smart & Green

Compatible with:

CHARGING TRAY 44 X 25 CM

400547



Anthracite

4005A5



Clay Grey

4005D2



Gingerbread

4005A7




Ice Mint

4005B9



Black Cherry



0,42 kg

CM

4010 - CHARGING TRAY 44 X 25 CM

DESIGN BY STUDIO FERMOB

NEW

DOMESTIC PROFESSIONAL INTENSIVE



ABS frame

Steel handles

Type of power supply: mains - Plug type: Plug type E & F (EU countries excluding UK)

Dual mounting system: wall-mounted (screws not provided) or floor-standing

Stacking capacity: x 2

12 A - 110-240 V - 60 W - IK 10 | CE | FCC | UKCA

Powered by Smart & Green


Compatible with:

SET OF 6 LAMPS H.20 CM - SWIING

401047



Anthracite



2,60 kg

CM



SWING, PARISIENNE 21 & ROMANE



LIGHTING
IN & OUT